

VOLATILE DRY SPOTTER (V.D.S.)

First Aid Procedures:

- Swallowing: Do not induce vomiting. Get medical attention.
- Skin: Wash with soap and water.
- Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult .
- Eyes: Flush with water for at least 15 minutes. Get medical attention if irritation persists.

Health studies have shown that health risks vary from person to person. As a precaution exposure to liquids, vapors, misty fumes or dust should be minimized.

VI. REACTIVITY DATA

- Hazardous Polymerization: Will not occur.
- Stability: Avoid open flames or other high temperature sources.
- Incompatibility: Water -- long term can deplete stabilizers, producing acids.
- Hazardous Decomposition Products: Hydrogen chloride, phosgene and chlorine at high temperatures.

VII. SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled:

- Provide maximum ventilation. Soak up material using absorbent material. Dispose of in accordance with local, state and federal regulations. Keep out of water supply and sewage system.
-
-
-
-

VIII. PROTECTION AND PRECAUTIONS

- Respiratory Protection: Approved organic vapor respirator required in absence of proper environmental control.
 - Ventilation: Provide sufficient ventilation to maintain exposure below TLV.
 - Protective Gloves: Use gloves made of viton, neoprene or polyvinyl alcohol.
 - Eye Protection: Chemical splash goggles.
 - Other Protective Equipment: Safety shower, eye bath and washing facilities should be available.
-
-
-
-
-
-

IX. PRECAUTIONS OR OTHER COMMENTS

Precautions to be taken in handling and storing: Maintain good housekeeping. Avoid contact with eyes. Wash thoroughly after handling. Use with adequate ventilation.

The information and recommendations accumulated herein are to the best of Laidlaw's knowledge and belief, accurate and reliable as of the date issued. Laidlaw does not warrant or guarantee their accuracy or reliability, and shall not be liable for any loss or damage arising out of the use thereof.

HMIS and NFPA recommended ratings are based upon the criteria supplied by the developers of these rating systems together with Laidlaw's interpretation of the available data.